

REPLACEMENT PARTS GUIDE

Q820M Quik Trak™ Mower

ENGINE



SPARK PLUG

[M805853](#)

Change every 1000 hours.



OIL FILTER

[AM125424](#)

Change every 100 hours/ Annually.



ENGINE OIL

[TY26669](#) (John Deere 10W-30 Plus-50™ II)
(2.1 L-2.3 L) (2.2-2.4 qt)
(WITH FILTER)

Change every 100 hours/ Annually.



AIR FILTER

[M131802](#) (PRIMARY AIR FILTER ELEMENT)

[M131803](#) (SECONDARY AIR FILTER ELEMENT)

Change every 300 hours.



JOHN DEERE MULTI - PURPOSE HD LITHIUM COMPLEX GREASE

[TY24416](#)

GREASE GUN

[TY26183](#)

Change As Required.



FUEL FILTER

[AM116304](#) (IN LINE FUEL FILTER)

[UC21217](#)

Change every 300 hours.



ELECTRICAL



IGNITION KEY

[AUC12681](#)



ROTARY SWITCH

[AUC18708](#)



ROCKER SWITCH

[AUC15008](#)



CONTROL LEVER THROTTLE CABLE

[AUC18920](#)



WET CHARGED BATTERY

[TY25221B](#) (12 V, 30 AH, 350 CCA, U1 BCI)

FUEL & AIR



FUEL TANK FILLER CAP

[TCA19830](#)



MUFFLER

[AUC18528](#)

TRANSMISSION / HYDRAULIC



TRANSMISSION AND HYDRAULIC OIL

[TY6354](#) (John Deere Hy-Gard™)
(5.7 L (6.0 qt) (WITH FILTER / DRY)

Change every 300 hours.



HYDRAULIC FILTER

[MIA881446](#)

Change every 300 hours.



TRACTION DRIVE BELT

[UC32307](#) (LGTH = 1699 mm, WIDTH = 11 mm,
TK = 13.5 mm)

REPLACEMENT PARTS GUIDE


Q820M Quik Trak™ Mower with 48 Inch Side Discharge Deck

MOWER BLADE


 [TCU30315](#) (CUT LENGTH = 110 mm)
(HIGH LIFT)

 [M136194](#) (CUT LENGTH = 114.7 mm)
(STANDARD LIFT)

 [M136185](#) (CUT LENGTH = 176.7 mm)
(MULCH BLADE)

 [TCU18678](#) (CUT LENGTH = 108 mm)
(LOW LIFT)

FLAT MOWER BELT

 [UC17621](#) (LGTH = 3298 mm,
WIDTH = 14 mm, TK = 21.1 mm)

MOWER DECK LEVELLING

 [AM130907](#)



GAGE WHEELS

 [UC28193](#)

MULCH KIT

 [TCB10952](#)

REPLACEMENT PARTS GUIDE

Q820M Quik Trak™ Mower with 54 Inch Side Discharge Deck

MOWER BLADE

[TCU30317](#) (CUT LENGTH = 110 mm)
(HIGH LIFT)

[TCU30316](#) (CUT LENGTH = 114.1 mm)
(STANDARD LIFT)


[M135334](#) (CUT LENGTH = 178.1 mm)
(MULCH BLADE)

FLAT MOWER BELT

[UC31640](#) (LGTH = 3666 mm,
WIDTH = 14 mm, TK = 21.1 mm)

MOWER DECK LEVELLING

[AM130907](#)



GAGE WHEELS

[UC28193](#)

MULCH KIT

[TCB11469](#)

REPLACEMENT PARTS GUIDE


Q820M Quik Trak™ Mower with 60 Inch Side Discharge Deck

MOWER BLADE


 [TCU15881](#) (CUT LENGTH = 120 mm)
(HIGH LIFT)

 [M128485](#) (CUT LENGTH = 110 mm)
(STANDARD LIFT)

 [M168223](#) (CUT LENGTH = 200.6 mm)
(MULCH BLADE)

 [M133381](#) (CUT LENGTH = 110 mm)
(LOW LIFT)

FLAT MOWER BELT

 [UC23309](#) (LGTH = 3955 mm,
WIDTH = 14 mm, TK = 21.1 mm)

MOWER DECK LEVELLING

 [AM130907](#)



GAGE WHEELS

 [UC28193](#)

MULCH KIT

 [TCB10953](#)