

REPLACEMENT PARTS GUIDE

9RX Final Tier 4 (FT4) Series Track Tractors - 9420RX, 9470RX, 9520RX, 9570RX, 9620RX FILTER OVERVIEW WITH SERVICE INTERVALS

ENGINE



DIESEL PARTICULATE FILTER (DPF) [DZ100175](#) - (9420RX, 9470RX, 9520RX)

[REC563371000](#) - (9570RX, 9620RX)

Replace within 250 hours after warning light indicators are illuminated.

See your John Deere™ dealer or qualified service provider.



CRANKCASE BREATHER FILTER ELEMENT (15L)

[RECCV5063400](#) - (9570RX, 9620RX)

Replace after every 3000 hours.



OIL FILTER - (9420RX 9470RX, 9520RX)

[RE572785](#)

OIL FILTER - (9570RX, 9620RX)

[DZ121669](#) - FT4

[RE572785](#) - T2,T3

Initial oil and filter change at 100 hours, then after every 500 hours or annually, whichever occurs first. The extended 500 hour interval is only allowed if using Plus-50™ II oil with a John Deere filter and diesel fuel with sulfur content less than 15mg/kg (15ppm). If all conditions are not met, change oil and filter at 250 hours of operation. conditions.)



PRIMARY & SECONDARY FUEL FILTER - (9420RX, 9470RX, 9520RX)

[RE539465](#) & [DZ112918](#) - FT4

[RE532952](#) & [DZ112918](#) - T2,T3

Replace after every 500 hours, or as indicated, whichever occurs first.



PRIMARY & SECONDARY FUEL FILTER - (9570RX, 9620RX)

[RE561968](#) & [RE574467](#) - FT4

[RE532952](#) & [DZ112918](#) - T2,T3

Replace after every 400 hours, or as indicated, whichever occurs first.



CAB



RECIRCULATION FILTER

[RE291412](#)

[RE333569](#) - Carbon

Replace after every 1000 hours or annually, whichever occurs first. (Interval may vary according to operating conditions.)



FRESH AIR FILTER

[RE284091](#)

[RE333567](#) - Carbon

Replace after every 1000 hours, annually or as required, whichever occurs first. (Interval may vary according to operating conditions.)

ENGINE



FUEL WATER SEPARATOR FILTER (if equipped)

[N378886](#) - If equipped (- 809260)

[AT365869](#) (809261-)

Change after every 500 hours.

HYDRAULIC



TRANSMISSION SYSTEM FILTER

[RE577250](#)

TRANSMISSION LUBE FILTER

[RE577612](#)

Replace after every 1500 hours or as indicated, whichever occurs first.



SELECTIVE CONTROL VALVE (SCV) FILTER

[RE269061](#) - If equipped

Replace after every 1500 hours.

REPLACEMENT PARTS GUIDE

9RX Final Tier 4 (FT4) Series Track Tractors - 9420RX, 9470RX, 9520RX, 9570RX, 9620RX FILTER OVERVIEW WITH SERVICE INTERVALS

ENGINE



PRIMARY AIR FILTER

[RE594852](#) - QTY. 2 (FT4)

[HXE11090](#) - QTY. 1 (T2, T3)

Replace after every 1000 hours or annually, whichever occurs first. (Interval may vary according to operating conditions.)

SECONDARY AIR FILTER

[RE594853](#) - QTY. 2 (FT4)

[HXE11091](#) - QTY. 1 (T2, T3)

Replace after every 1000 hours or annually, whichever occurs first. (Interval may vary according to operating conditions.)



DEF INLINE FILTER

[DZ124403](#)

Replace after every 1000 hours or annually, whichever occurs first.

HYDRAULIC



OIL FILTER

[RE577612](#) - QTY 3

Replace after every 1500 hours.




ENGINE



FUEL TANK VENT FILTERS

[RE566125](#) - Qty. 2

Replace after every 1500 hours.



DEF SUPPLY MODULE FILTER

[DZ114640](#) - If equipped

Replace after every 3000 operating hours or 3 years, whichever comes first.



DEF TANK VENT FILTER

[H216169](#)

Replace after 1500 hours or 1 year whichever occurs first.



DEF TANK HEADER FILTER

[DZ111004](#)

Replace after every 4500 hours.



JOHN DEERE
Genuine Parts and Service

CAPACITIES

9RX Final Tier 4 (FT4) Series Track Tractors - 9420RX, 9470RX, 9520RX, 9570RX, 9620RX

CAPACITIES (Approximate):

Fuel Tank:

.....1514 L (400 gal)

Diesel Exhaust Fluid:

John Deere Diesel Exhaust Fluid

.....83 L (22.0 gal)

Cooling System:

Cool-Gard™ II

9420RX, 9470RX, 9520RX.....56.5 L (14.9 gal)

9570RX, 9620RX.....62 L (16.3 gal)

Crankcase including Filter:

Plus-50™ II

9420RX, 9470RX, 9520RX.....48 L (12.7 gal)

9570RX, 9620RX.....43.5 L (11.5 gal)

Hydraulic/Transmission/Axle without 3-point rear hitch and PTO

Hy-Gard™

DR Axles High Flow.....220 L (58 gal)

Hydraulic/Transmission/Axle with 3-point rear hitch and PTO

Hy-Gard™

DR Axles High Flow.....227 L (60 gal)

Hydraulic Reservoir Reference Marks:

Hy-Gard™

Full - Cold.....93 L (24.5 gal)

Min - Cold.....81 L (21.5 gal)

High-volume take-out oil mark.....140 L (37 gal)

Transmission/Hydraulic Reservoir (System Volume):

Hy-Gard™

.....268.5 L (71 gal)

REPLACEMENT PARTS GUIDE

9RX Final Tier 4 (FT4) Series Track Tractors - 9420RX, 9470RX, 9520RX, 9570RX, 9620RX

REPAIR PARTS

ENGINE



STARTER

[RE539584](#) (9420RX, 9470RX, 9520RX)
[RE589156](#) (9570RX, 9620RX)



FUEL INJECTION PUMP

[DZ124926](#) (9420RX, 9470RX, 9520RX)
[REC435948900](#) (-80266485)
(9570RX, 9620RX)
[REC549178400](#) (80266486-) (9570RX,
9620RX)



FAN DRIVE BELT

[R307304](#) T2 (9420RX, 9470RX, 9520RX)
[R300399](#) FT4 (9420RX, 9470RX, 9520RX)
[R211183](#) T3 (9420RX, 9470RX, 9520RX)
[REC369126500](#) (9570RX, 9620RX)



AUXILIARY BELT DRIVE

[R536677](#) (9420RX, 9470RX, 9520RX)
[R551022](#) (9570RX, 9620RX)



ENGINE BLOCK HEATER

[RE15940](#) - 220V (9420RX, 9470RX, 9520RX)
[RE541654](#) - 120V (9420RX, 9470RX, 9520RX)
[REC496549700](#) (9570RX, 9620RX)



BELT TENSIONER

[AN208610](#) (9420RX, 9470RX, 9520RX)
[REC369251000](#) (9570RX, 9620RX)



RADIATOR CAP

[RE312969](#)



WATER PUMP

[RE549117](#) - T2, T3 (9420RX, 9470RX, 9520RX)
[DZ106318](#) - FT4 (9420RX, 9470RX, 9520RX)
[REC571977100](#) (9570RX, 9620RX)



A/C COMPRESSOR

[AL232177](#)



ALTERNATOR

[RE555751](#) - 200A
[RE550906](#) - 240A



BATTERY

[TY25879B](#)

CAB



12

EXTERNAL MIRRORS



13

[AL225535](#)
[AL225536](#)



14

WIPER BLADES

[AL153661](#) - Front, Rear and RH Window



15

TECHNOLOGY MOUNTING SOLUTION

[RE317435](#) - Mounting Bracket
[BRE10015](#) - Cell Phone Mount
[BRE10255](#) - Tablet Mount



16

GAS CYLINDERS

[RE234992](#) - LH Door
[RE261886](#) - Rear window

HITCH AND SCV



17

HITCH MAINTENANCE

[R309355](#) - Sway Block RH
[R304695](#) - Sway Block Wear Plate RH
[R309356](#) - Sway Block LH
[R304694](#) - Sway Block Wear Plate LH
[AXE14245](#) - Hitch Position Sensor



18

SCV

[RE577560](#) - Breakaway coupler
[R186598](#) - Snap Ring
[RE186600](#) - Seal Kit
[RE345117](#) - Power Beyond Coupler Kit



19

LIFT LINK PINS

[RE333939](#) - Pin
[R106409](#) - Draft Link Ball Stud
[BRE10332](#) - Greaseable Pin Kit

ENGINE



20

TORSIONAL DAMPER

[RE530733](#) - T2, T3
(9420RX, 9470RX, 9520RX)
[RE539805](#) - FT4 (9420RX, 9470RX, 9520RX)
[REC410188400](#) (9570RX, 9620RX)



JOHN DEERE
Genuine Parts and Service

CLICK PART NUMBER TO BUY

*See operator's manual for additional details.

RX532589

Jan. 2024. Release Date.

REPLACEMENT PARTS GUIDE

9RX Final Tier 4 (Ft4) Series Track Tractors - 9420RX, 9470RX, 9520RX, 9570RX, 9620RX
WEAR PARTS



ENGINE



13.5 L VARI-COOL™ FAN DRIVE
[RE588578](#) – DRIVER, IT4 / FT4



13.5 L VARI-COOL™ FAN DRIVE
[RE590285](#) – DRIVEN, IT4 / FT4

ENGINE



13.5 L VARI-COOL™ FAN DRIVE
[R300399](#) - V-BELT, VARIABLE SPEED



13.5 L VARI-COOL™ FAN DRIVE
[R569237](#) – BELT GAUGE TOOL